Supplementary Table 2. The coefficients of codon frequencies which have the significant correlations with genes expression levels in different tissues

Tissue	UUU	UUC	UUA	UUG	CUU	CUC	CUA	CUG	AUU	AUC	AUA	AUG	GUU	GUC	GUA	GUG	UCU	UCC	UCA	UCG	CCU	CCC	CCA	CCG	ACU	ACC	ACA	ACG	GCU	GCC	GCA	GCG	UAU	UAC	CAU	CAC	CAA	CAG	AAU	AAC	AAA	AAG	GAU	GAC	GAA	GAG	UGU	UGC	UGG	CGU	CGC	CGA	CGG	AGU	AGC	AGA	AGG	GGU	GGC	GGA	GGG
tRNA-aa	AAG-Phe		AAU-Leu		GUG-Leu		GUA-Leu		UAG-Ile		UAU-Ile	UAC-Met	CAG-val		CAU-Val		AGG-Ser		AUG-Ser		GGG-Pro		GGU-Pro		UGA-Thr		UGU-Thr		CGG-Ala		CGU-Ala		AUG-Tyr		CUG-His		CUU-Gln		UUG-Asn		UUU-Lys		CUG-Asp		CUU-Glu		ACG-Cys		ACC-Trp	GCG-Arg		GCU-Arg		UCG-Ser		UCU-Arg		CCG-Gly		CCU-Gly	
Ascites										0.382223																																																						
Bladder										0.395713						-0.34851																		0.408812								0.775524														-0.35351			0.426766		0.458444	
Blood							0.528577				0.353316															0.287742																0.257915				0.302827												0.513667					

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |