

Supplementary Table 3. The coefficients of relative synonymous codon usage features which have the significant correlations with genes expression levels in different tissues

Tissue	Codon																				
	GCCG	GCCG	GCCG	TGTC	TGTC	GATC	GATC	GATC	GATC	TATC	TATC	TATC	TATC	TATC	TATC	TATC	TATC	TATC	TATC	TATC	
tRNA	CGU	CGU	CGU	ACG	ACG	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	CUU	
ascites																					
bladder						0.375247	-0.375247									0.615727					
blood	0.293514	-0.226108	-0.226108	0.302299											0.4766205						
bone						0.4	-0.4									0.6					

T o t a l	3	1	1	2	1	2	2	2	0	0	5	5	0	1	1	5	0	0	1	0	1	0	0	0	0	2	2	1	2	7	0	0	0	1	0	3	1	1	1	3	7	2	1	5	0	2	0	1	2	9	0	0	1	1	5	1	3	0	0	1
-----------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---